

| H1610 Parts list |              |                     |                               |            |     |
|------------------|--------------|---------------------|-------------------------------|------------|-----|
| Item No          | KIT No       | Part No.            | Desc.                         | Spec.      | QTY |
| <b>KIT15</b>     |              | <b>H1610-01-001</b> | MPG assy                      |            | 1   |
| <b>KIT1</b>      | <b>KIT15</b> | <b>700C-PA-001</b>  | motor assy                    |            | 1   |
| 1                | KIT1         | H1600-10-001        | motor 9840-120V               | 9840-120V  | 1   |
| 2                | KIT1         | 800-3-004           | hexagon socket head cap screw | M5x28      | 4   |
| 3                | KIT1         | 800-3-005           | plain washer                  |            | 4   |
| 4                | KIT1         | 800-3-003           | deep groove ball ring         |            | 1   |
| <b>KIT2</b>      | <b>KIT15</b> | <b>700C-PA-002</b>  | pump pedestal assy            |            | 1   |
| 5                | KIT2         | 800-3-001           | big gear                      |            | 1   |
| 6                | KIT2         | 800-3-002           | gear shaft                    |            | 1   |
| 7                | KIT2         | 800-2-003           | o-ring                        | 64.77x2.62 | 1   |
| 8                | KIT2         | 700-1-023           | pump pedestal assy            |            | 1   |
| 9                | KIT2         | 700-2-064           | special shaped ring           |            | 1   |
| 10               | KIT2         | 800-2-002           | oil seal                      |            | 1   |
| 11               | KIT2         | 800-3-006           | deep groove ball ring         |            | 1   |
| 12               | KIT2         | 700-1-024           | wobble plate 11.5°            | 11.5°      | 1   |
| 13               | KIT2         | 800-3-007           | wobble plate screw(left)      |            | 1   |
| <b>KIT3</b>      | <b>KIT2</b>  | <b>700C-PA-003</b>  | thrust bearing assy           |            | 1   |
| 14               | KIT3         | 700-3-081           | thrust bearing thin board     |            | 1   |
| 15               | KIT3         | 700-3-082           | thrust bearing roller         |            | 1   |
| 16               | KIT3         | 700-3-083           | thrust bearing thick board    |            | 1   |
| <b>KIT4</b>      | <b>KIT15</b> | <b>700C-PA-004</b>  | piston body assy              |            | 1   |
| 17               | KIT4         | 800-3-013           | piston spring                 |            | 3   |
| 20               | KIT4         | 700-1-026           | piston body                   |            | 1   |
| 21               | KIT4         | 700-2-063           | oil seal                      |            | 3   |
| 22               | KIT4         | 700-4-054           | pilot sheath                  |            | 3   |
| <b>KIT5</b>      | <b>KIT4</b>  | <b>700C-PA-005</b>  | piston assy                   |            | 1   |
| 18               | KIT5         | 800-3-011           | spring base                   |            | 3   |
| 19               | KIT5         | 650-3-100           | piston                        |            | 3   |
| <b>KIT6</b>      | <b>KIT15</b> | <b>700C-PA-006</b>  | pump body assy                |            | 1   |
| 23               | KIT6         | 700-2-045           | water seal                    |            | 3   |
| 29               | KIT6         | 700-1-027           | pump body                     |            | 1   |
| 30               | KIT6         | 700-3-088           | hexagon socket head cap screw | M6x40      | 4   |
| 36               | KIT6         | 700-3-117           | one-way valve washer          | 12.2x5x1.6 | 3   |
| 37               | KIT6         | 700-1-028           | plate                         |            | 1   |
| 38               | KIT6         | 700-3-089           | hexagon socket head cap screw | M5x16      | 1   |

| H1610 Parts list |              |                    |                                       |             |          |
|------------------|--------------|--------------------|---------------------------------------|-------------|----------|
| Item No          | KIT No       | Part No.           | Desc.                                 | Spec.       | QTY      |
| <b>KIT7</b>      | <b>KIT6</b>  | <b>700C-PA-007</b> | <b>spill valve end cover assembly</b> |             | <b>1</b> |
| 24               | KIT7         | 700-2-046          | o-ring                                | 13.5x2      | 1        |
| 25               | KIT7         | 700-3-086          | spill valve end cover                 |             | 1        |
| <b>KIT8</b>      | <b>KIT6</b>  | <b>700C-PA-008</b> | <b>spill valve assy</b>               |             | <b>1</b> |
| 26               | KIT8         | 700-4-055          | spill valve seat                      |             | 1        |
| 27               | KIT8         | 700-3-087          | spill valve spring                    |             | 1        |
| 28               | KIT8         | 700-4-056          | spill valve cover                     |             | 1        |
| <b>KIT9</b>      | <b>KIT6</b>  | <b>700C-PA-009</b> | <b>one-way valve assy</b>             |             | <b>1</b> |
| 31               | KIT9         | 800-4-004          | one-way valve seat                    |             | 6        |
| 32               | KIT9         | 800-3-014          | one-way valve spring                  |             | 6        |
| 33               | KIT9         | 800-3-015          | one-way valve door                    |             | 6        |
| 34               | KIT9         | 750-4-086          | one-way valve cover                   |             | 6        |
| 35               | KIT9         | 700-2-065          | one-way valve cover o-ring            | 8.5x1.9     | 6        |
| <b>KIT10</b>     | <b>KIT15</b> | <b>700C-P-010</b>  | <b>inlet assy</b>                     |             | <b>1</b> |
| 39               | KIT10        | 650-2-054          | o-ring                                | 30x2.4      | 1        |
| 40               | KIT10        | 650-4-083          | inlet tube                            | 14teeth     | 1        |
| 41               | KIT10        | 700-3-090          | plain washer $\phi$ 4                 |             | 4        |
| 42               | KIT10        | 700-3-091          | hexagon socket head cap screw         | M4x16       | 4        |
| <b>KIT11</b>     | <b>KIT15</b> | <b>700C-PA-011</b> | <b>manifold assy</b>                  | <b>1</b>    | <b>1</b> |
| 43               | KIT11        | 700-3-092          | clip ring                             |             | 1        |
| 49               | KIT11        | 700-1-040          | manifold type IV                      |             | 1        |
| 50               | KIT11        | 800-3-004          | hexagon socket head cap screw         | M5x28       | 4        |
| 51               | KIT11        | 800-2-012          | o-ring                                | 12x2        | 3        |
| <b>KIT12</b>     | <b>KIT11</b> | <b>700C-P-012</b>  | <b>spill valve core assy</b>          |             | <b>1</b> |
| 52               | KIT12        | 700-2-049          | o-ring                                | 5x1.9       | 1        |
| 53               | KIT12        | 700-3-094          | valve core                            |             | 1        |
| 54               | KIT12        | 700-3-095          | spring                                |             | 1        |
| 55               | KIT12        | 700-3-096          | nut                                   | M16x1.25    | 1        |
| 56               | KIT12        | 700-2-050          | o-ring                                | 8.6x2       | 1        |
| 57               | KIT12        | 700C-3-114         | small valve o-ring                    | 6.8x2.5x0.8 | 1        |
| 58               | KIT12        | 700-2-051          | o-ring                                | 1.6x1.8     | 2        |
| 59               | KIT12        | 700-4-060          | spill valve sheath                    |             | 1        |
| <b>KIT13</b>     | <b>KIT11</b> | <b>700C-PA-012</b> | <b>outlet one-way valve</b>           |             | <b>1</b> |
| 44               | KIT13        | 700-4-058          | valve seat                            |             | 1        |
| 45               | KIT13        | 700-3-093          | valve spring                          |             | 1        |
| 46               | KIT13        | 700-4-059          | one-way valve door                    |             | 1        |
| 47               | KIT13        | 700C-3-124         | valve cover                           |             | 1        |
| 48               | KIT13        | 700C-2-062         | o-ring                                | 10.7x1.9    | 1        |
| 118              | KIT12        | 800-2-013          | chief one-way valve o-ring            | 5x2         | 1        |

| H1610 Parts list |              |                     |   |                       |          |
|------------------|--------------|---------------------|---|-----------------------|----------|
| Item No          | KIT No       | Part No.            | Desc.   | Spec.                 | QTY      |
| <b>KIT14</b>     | <b>KIT15</b> | <b>700C-P-013</b>   | <b>TSS assy</b>                                   |                       | <b>1</b> |
| 60               | KIT14        | 700-4-061           | u-pin   |                       | 1        |
| 61               | KIT14        | 700-5-082           | TSS switch DW-20 20.1(8)A 250VAC                  | DW-20 20.1(8)A 250VAC | 1        |
| 62               | KIT14        | 700-4-062           | TSS seat  |                       | 1        |
| 63               | KIT14        | 700-2-052           | TSS switch seal ring                              |                       | 1        |
| 64               | KIT14        | 700-4-063           | TSS cover   |                       | 1        |
| 65               | KIT14        | 700-2-053           | TSS round jacket                                  |                       | 1        |
| 66               | KIT14        | 800-2-016           | TSS lead wire ( UL ) 16AWG                        | ( UL ) 16AWG          | 1        |
| 67               | KIT14        | HD1550-I07          | cable round jacket                                |                       | 1        |
| 68               | KIT14        | 800C-4-001          | plastic square jacket                             |                       | 1        |
| 69               | KIT14        | 800-5-003           | plate   |                       | 1        |
| 70               | KIT14        | 800C-4-016          | plastic jacket                                    | Φ4.0                  | 1        |
| 71               | KIT14        | 800-5-006           | receptacle  |                       | 1        |
| <b>KIT16</b>     |              | <b>H1610-08-002</b> | <b>complete machine</b>                           |                       | <b>1</b> |
| 87               | KIT16        | 7SLABB04-16         | cross recessed pan head tapping screw with washer | ST4×16 "F" type       | 10       |
| 80               | KIT16        | 800C-2-024          | sponge strip                                      | Ø3.2 L=195mm          | 1        |
| 88               | KIT16        | H1610-02-009        | right accessory hold (red)                        |                       | 1        |
| 89               | KIT16        | 6SDABB04-12         | cross recessed round head tapping screw           | ST4×12 "F" type       | 2        |
| 90               | KIT16        | H1610-02-010        | H1610 back housing (black)                        |                       | 1        |
| 77               | KIT16        | 7SLABB04-12         | cross recessed pan head tapping screw with washer | ST4x12 "F" type       | 9        |
| 91               | KIT16        | PW1600H-C03         | cross recessed round head tapping screw           | ST4.8×19 C type       | 8        |
| 92               | KIT16        | H1610-02-011        | handle  |                       | 1        |
| 93               | KIT16        | H1610-02-012        | back housing cover                                |                       | 1        |
| 94               | KIT16        | H1610-02-013        | HP hose wrap                                      |                       | 1        |
| 95               | KIT16        | H1610-02-014        | cable reel  |                       | 1        |
| 96               | KIT16        | H1610-02-015        | left accessory hold (red)                         |                       | 1        |
| 97               | KIT16        | 7236-140A01         | inlet nut   | 14teeth               | 1        |
| 101              | KIT16        | 800-4-029           | cable plate                                       |                       | 1        |
| 102              | KIT16        | TF1600-A14          | outlet end cover                                  |                       | 1        |
| 103              | KIT16        | 7183-140A02         | inlet filter                                      |                       | 1        |
| <b>KIT17</b>     | <b>KIT16</b> | <b>H1610-08-005</b> | <b>switch dial assy</b>                           |                       | <b>1</b> |
| 72               | KIT17        | H1610-02-001        | switch dial                                       |                       | 1        |
| 73               | KIT17        | 1000-2-002          | o-ring  | 7.65x1.78             | 1        |
| <b>KIT18</b>     | <b>KIT16</b> | <b>H1610-08-006</b> | <b>H1610 fron cover assy</b>                      |                       | <b>1</b> |
| 74               | KIT18        | H1610-02-002        | H1610 front red housing cover                     |                       | 1        |
| 75               | KIT18        | H1610-02-018        | soft grip   |                       | 1        |
| 76               | KIT18        | H1610-02-003        | H1610 front housing (black)                       |                       | 1        |
| 77               | KIT18        | 7SLABB04-12         | cross recessed pan head tapping screw with washer | ST4x12 "F" type       | 2        |
| 87               | KIT18        | 7SLABB04-16         | cross recessed pan head tapping screw with washer | ST4×16 "F" type       | 2        |
| 91               | KIT18        | PW1600H-C03         | cross recessed round head tapping screw           | ST4.8×19 C type       | 2        |
| 104              | KIT18        | TF1600-B03          | foot  |                       | 2        |

| H1610 Parts list |              |                     |   |                     |          |
|------------------|--------------|---------------------|---|---------------------|----------|
| Item No          | KIT No       | Part No.            | Desc.   | Spec.               | QTY      |
| <b>KIT19</b>     | <b>KIT16</b> | <b>H1610-08-007</b> | <b>motor cover assy</b>                                   |                     | <b>1</b> |
| 77               | KIT19        | 7SLABB04-12         | cross recessed pan head tapping screw with washer         | ST4x12 "F" type     | 6        |
| 78               | KIT19        | PW1600H-C02         | cross recessed round head tapping screw                   | ST3x12 "F" type     | 4        |
| 79               | KIT19        | H1610-02-004        | switch cover  |                     | 1        |
| 80               | KIT19        | 800C-2-024          | sponge strip  | Ø3.2 L=195mm        | 2        |
| 81               | KIT19        | H1610-02-005        | adjustable main switch 16 ( 8 ) 125/250VAC                | 16 ( 8 ) 125/250VAC | 1        |
| 82               | KIT19        | H1610-02-006        | switch plate  |                     | 1        |
| 83               | KIT19        | 700-3-117           | one-way valve washer                                      | 12.2X5X1.6          | 2        |
| 84               | KIT19        | 800C-3-035          | cross recessed pan head tapping screw with washer         | ST3.5x12 "F" type   | 2        |
| 85               | KIT19        | H1610-02-007        | motor front cover   |                     | 1        |
| 86               | KIT19        | H1610-02-008        | motor back cover  |                     | 1        |
| <b>KIT20</b>     | <b>KIT16</b> | <b>H1610-08-008</b> | <b>wheel assy</b>   |                     | <b>2</b> |
| 98               | KIT20        | H1610-02-016        | wheel hub (silvery)                                       |                     | 2        |
| 99               | KIT20        | H1610-02-017        | wheel   |                     | 2        |
| 100              | KIT20        | PWZ1400-A06         | wheel cover   |                     | 2        |
| <b>KIT21</b>     | <b>KIT16</b> | <b>H1610-08-003</b> | <b>cable assy</b>   |                     | <b>1</b> |
| 105              | KIT21        | 800C-4-016          | plastic jacket  |                     | 2        |
| 106              | KIT21        | 800-5-006           | receptacle  |                     | 2        |
| 107              | KIT21        | HD1550-I07          | cable round jacket  |                     | 1        |
| 108              | KIT21        | H1610-09-002        | cable 35ft  |                     | 1        |
| 109              | KIT21        | TF1600-B01          | cable jacket  |                     | 1        |
| 110              | KIT21        | 7247-140A12         | GFCI 2-pro  |                     | 1        |
| <b>KIT22</b>     |              | <b>H1610-09-001</b> | <b>Acc.</b>   |                     | <b>1</b> |
| 111              | KIT22        | TF1600-G01-03       | lance   |                     | 1        |
| 112              | KIT22        | H1610-08-004        | 3-way CNC lance 15°/ 25°/0°                               |                     | 1        |
| 113              | KIT22        | H1600-08-001        | P2006 gun with gray trigger                               |                     | 1        |
| 114              | KIT22        | H1600-08-002        | HP hose with the long ring nut 19ft, φ 10.3mm transparent |                     | 1        |
| 115              | KIT22        | 6197-160A02         | nozzle cleaner  |                     | 1        |
| 116              | KIT22        | TF1600-L01          | plastic w/alum GHC (long)                                 |                     | 1        |
| 113              | KIT22        | Z1400-A04           | HP foamer assembly  |                     | 1        |
|                  |              | Z1400-A01           | HP foamer   |                     |          |
|                  |              | Z1400-A02           | transparent tube φ 12X φ 9 4.6m                           |                     |          |
|                  |              | Z1400-A03           | filter  |                     |          |